

TOPEKA WHITE - POWDER COATED STEEL BIOFIREPLACE

BIO-20-216

The ScandiFlames Topeka White is an elegant, freestanding bioethanol fireplace with a 2.5-liter fuel tank and a burn time of up to 7.5 hours per filling. Measuring H: 90 cm x W: 100 cm x D: 35 cm, this impressive fireplace can be placed on the floor or built into an end wall. Its wide frame and large cutout provide a wide view of the flames, shielded by three safety glass panels. The design fits perfectly into modern homes, creating a cozy atmosphere. Maintenance is easy, as bioethanol fireplaces do not produce smoke.

TECHNICAL SPECIFICATIONS

Key Specifications

Product type	3-sided Built-in Bioethanol Fireplace
Product type	Freestanding Bioethanol Fireplace
Brand	ScandiFlames
Use	Indoor
Warranty	2 years



Dimensions & Weight

Length/Width	100 cm
Height	90 cm
Depth	35 cm
Weight	37 kg

Technical Specifications

Minimum room size	60 cubic metres
Fuel	Bioethanol
Burning time up to	7.5 hours
Capacity	2.5 Litres
Heat output (max)	2.4 kW
Consumption	0.33 L/h
Recommended air change rate	1



Burner Specifications

Adjustable flame	Yes
Control	Manual
Burner Model	2.5 Litre Superior
Flame length	32 cm
Remote control	No

Material and Appearance

Material	Steel
Colour	White
Glas included	Yes

Installation Details

Flue/Chimney	Not Required
--------------	--------------

Power requirements

No



