

## FOCO TWO 1200

BIO-30-106

Foco Two 1200 is a two-sided tunnel bioethanol fireplace for installation into a wall, where you will be able to see the fire from two opposite sides. Choose between manual or automatic burner.

### TECHNICAL SPECIFICATIONS

#### Appearance

Colour	Black
Glas included	Yes
Materials	Steel

#### Appearance

Steel thickness	4 mm
-----------------	------

#### Burner - Features

Adjustable	Yes
Burn time	6 hours
Burner type	5 Litre Superior
Control	Automatic
Control	Manual
Control	Remote Control
Flame length	85 cm
Heat output (max)	6,2 kW
Minimum room size	90 m <sup>3</sup>
Remote control	Yes (add-on)
Requires electricity	No
Requires electricity	Yes
Usage	0.72 L/h

#### Size

Depth	40 cm
Height	50 cm
Length/Width	120 cm
Weight	35 kg

#### Type

Brand	Foco
-------	------

#### Type

Flue/chimney	Not required
Fuel	Bioethanol



**Type**

Producttype	See-through Built-in Bioethanol Fireplace
-------------	----------------------------------------------





**Type**

Recommended air change rate	1
-----------------------------	---





**Type**

Use	Indoor
Warranty	2 years





PrimeFire 1000







FLA 3 990 mm



FLA 3+ 990 mm





Automatic burner 1000

