

## FOCO FREE 1000

BIO-30-126

The Foco Free 1000 is a modern, 4-sided bioethanol fireplace, perfect for DIY bioethanol fireplace installations. Designed for flexibility, it includes a durable steel frame, four tempered glass panels, and a choice of manual or automatic burners. The automatic options feature remote control, app integration, and optional Smart Home compatibility.

### TECHNICAL SPECIFICATIONS

#### Burner - Features

|                    |                     |
|--------------------|---------------------|
| Adjustable flame   | Yes                 |
| Control            | Remote Control      |
| Control            | Automatic           |
| Control            | Manual              |
| Minimum room size  | 80 cubic metres     |
| Burner Model       | 4 Litre Superior    |
| Flame length       | 60 cm               |
| Remote control     | Additional purchase |
| Burning time up to | 6.5 hours           |
| Power requirements | No                  |
| Power requirements | Yes                 |
| Heat output (max)  | 4,4 kW              |
| Consumption        | 0.46 L/h            |

#### Size

|              |        |
|--------------|--------|
| Length/Width | 100 cm |
| Depth        | 40 cm  |
| Weight       | 30 kg  |

#### Appearance





|                 |       |
|-----------------|-------|
| Material        | Steel |
| Steel Thickness | 4 mm  |
| Colour          | Black |
| Glas included   | Yes   |

#### Type





|                             |                                       |
|-----------------------------|---------------------------------------|
| Product type                | 4-sided built-in bioethanol fireplace |
| Fuel                        | Bioethanol                            |
| Brand                       | Foco                                  |
| Flue/Chimney                | Not Required                          |
| Use                         | Indoor                                |
| Flame view                  | 44,1                                  |
| Warranty                    | 2 years                               |
| Recommended air change rate | 1                                     |







### Superior Manual







### PrimeFire 700



### Automatic burner 700



**FLA 3 790 mm**



FLA 3+ 790 mm

