

## TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

### TECHNICAL SPECIFICATIONS

#### Key Specifications

Product type	Wall-mounted Bioethanol Fireplace
Brand	ScandiFlames
Included	Screws
Included	Glass
Included	Extinguishing Tool
Included	Bioethanol Burner
Included	User guide
Included	Bracket
Use	Indoor
Warranty	2 years

#### Dimensions & Weight

Length/Width	90 cm
Height	45 cm
Depth	12,1 cm
Weight	12,7 kg

#### Technical Specifications

Minimum room size	60 cubic metres
Fuel	Bioethanol
Burning time up to	3 hours
Capacity	1.5 Litres
Heat output (max)	3 kW
Consumption	0.5 L/h

#### Burner Specifications

Adjustable flame	Yes
Control	Manual
Flame length	40 cm
Remote control	No

#### Material and Appearance

Material	Steel
Colour	Steel
Glas included	Yes

#### Installation Details



Distance to Combustible Materials	50 cm
Flue/Chimney	Not Required
Power requirements	No

