

TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

TECHNICAL SPECIFICATIONS

Key Specifications

Product type	Wall-mounted Bioethanol Fireplace
Brand	ScandiFlames
Included	Bioethanol Burner
Included	User guide
Included	Bracket
Included	Screws
Included	Glass
Included	Extinguishing Tool
Use	Indoor
Warranty	2 years

Dimensions & Weight

Length/Width	90 cm
Height	45 cm
Depth	12,1 cm
Weight	12,7 kg

Technical Specifications

Minimum room size	60 cubic metres
Fuel	Bioethanol
Burning time up to	3 hours
Capacity	1.5 Litres
Heat output (max)	3 kW
Consumption	0.5 L/h

Burner Specifications

Adjustable flame	Yes
Control	Manual
Flame length	40 cm
Remote control	No

Material and Appearance

Material	Steel
Colour	Steel
Glas included	Yes

Installation Details



Distance to Combustible Materials	50 cm
Flue/Chimney	Not Required
Power requirements	No

